

Original Encoding : **NOTHING**

2007/07/14 12:45

# PHP Version 5.2.2

<b>Build Date</b>	Jun 23 2007 17:57:33	
<b>Server API</b>	Apache	
Directive	Local Value	Master Value
<b>disable_functions</b>	<i>no value</i>	<i>no value</i>

## mbstring

<b>Multibyte Support</b>	enabled
<b>Multibyte string engine</b>	libmbfl
<b>Multibyte (japanese) regex support</b>	enabled
<b>Multibyte regex (oniguruma) version</b>	4.4.4
<b>Multibyte regex (oniguruma) backtrack check</b>	On

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
<b>mbstring.detect_order</b>	auto	auto
<b>mbstring.encoding_translation</b>	Off	Off
<b>mbstring.func_overload</b>	0	0
<b>mbstring.http_input</b>	auto	auto
<b>mbstring.http_output</b>	pass	pass
<b>mbstring.internal_encoding</b>	UTF-8	UTF-8
<b>mbstring.language</b>	Japanese	Japanese
<b>mbstring.strict_detection</b>	Off	Off
<b>mbstring.substitute_character</b>	<i>no value</i>	<i>no value</i>

---

**Basic Auth** Auth Name:  , PassWords:

URL for  
phpinfo()   
from Title