

---

http://hamster.byethost31.com/PhpInfo/phpinfo2006/

---

# PHP Version 5.1.7-dev

Build Date Sep 10 2006 11:42:20

Server API Apache 2.0 Handler

¥n

Directive	Local Value	Master Value
	exec, system, passthru, readfile, shell_exec, escapeshellarg, escapeshellcmd, proc_close, proc_open, ini_alter, dl, popen, parse_ini_file, show_source, curl_exec, popen, pcntl_exec, fsockopen, socket_accept, socket_bind, socket_clear_error, socket_close, socket_connect, socket_create_listen, socket_create_pair, socket_create, socket_get_option, socket_getpeername, socket_getsockname, socket_last_error, socket_listen, socket_read, socket_recv, socket_recvfrom, socket_select, socket_send, socket_sendto, socket_set_block, socket_set_nonblock, socket_set_option, socket_shutdown, socket_strerror, socket_write, stream_socket_client, stream_socket_server, pfsockopen, stream_set_blocking, stream_set_timeout, ftp_alloc, ftp_cdup, ftp_chdir, ftp_chmod, ftp_close, ftp_connect, ftp_delete, ftp_exec, ftp_fget, ftp_fput, ftp_get_option, ftp_get, ftp_login, ftp_mdtm, ftp_mkdir, ftp_nb_continue, ftp_nb_fget, ftp_nb_fput, ftp_nb_get, ftp_nb_put, ftp_nlist, ftp_pasv, ftp_put, ftp_pwd, ftp_quit, ftp_raw, ftp_rawlist, ftp_rename, ftp_rmdir,	exec, system, passthru, readfile, shell_exec, escapeshellarg, escapeshellcmd, proc_close, proc_open, ini_alter, dl, popen, parse_ini_file, show_source, curl_exec, popen, pcntl_exec, fsockopen, socket_accept, socket_bind, socket_clear_error, socket_close, socket_connect, socket_create_listen, socket_create_pair, socket_create, socket_get_option, socket_getpeername, socket_getsockname, socket_last_error, socket_listen, socket_read, socket_recv, socket_recvfrom, socket_select, socket_send, socket_sendto, socket_set_block, socket_set_nonblock, socket_set_option, socket_shutdown, socket_strerror, socket_write, stream_socket_client, stream_socket_server, pfsockopen, stream_set_blocking, stream_set_timeout, ftp_alloc, ftp_cdup, ftp_chdir, ftp_chmod, ftp_close, ftp_connect, ftp_delete, ftp_exec, ftp_fget, ftp_fput, ftp_get_option, ftp_get, ftp_login, ftp_mdtm, ftp_mkdir, ftp_nb_continue, ftp_nb_fget, ftp_nb_fput, ftp_nb_get, ftp_nb_put, ftp_nlist, ftp_pasv, ftp_put, ftp_pwd, ftp_quit, ftp_raw, ftp_rawlist, ftp_rename, ftp_rmdir,

```
ftp_set_option, ftp_site, ftp_size, ftp_ssl_connect, ftp_set_option, ftp_site, ftp_size, ftp_ssl_connect,
ftp_systype, chown, getrusage, get_current_user, ftp_systype, chown, getrusage, get_current_user,
set_time_limit, getmyuid, getmypid, dl, leak, set_time_limit, getmyuid, getmypid, dl, leak,
listen, chgrp, link, symlink, glob listen, chgrp, link, symlink, glob
```

## mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	enabled
Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	3.7.1

**mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.**

Directive	Local Value	Master Value
mbstring.detect_order	auto	<i>no value</i>
mbstring.encoding_translation	On	Off
mbstring.func_overload	0	0
mbstring.http_input	auto	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	UTF-8	<i>no value</i>
mbstring.language	uni	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

